

## ToLEDo GLS

ToLEDo GLS V2 470LM 865 E27 SL

**0026628**



### Range Features

- 

## PRODUCT OVERVIEW

|                            |               |
|----------------------------|---------------|
| Lamp finish                | Frosted       |
| Lamp shape                 | A60           |
| Colour temperature (K)     | 6500          |
| CRI (Ra)                   | 80            |
| Dimmable                   | No            |
| EAN code                   | 5410288266282 |
| Energy class               | A+            |
| Equivalent watt (W)        | 40            |
| Cap/Base                   | E27           |
| Watt (Nominal) (W)         | 7             |
| Light colour               | Daylight      |
| Ordering number            | 0026628       |
| Efficacy (Rated) (lm/w)    | 67.14         |
| Average life (Rated) (h)   | 15000         |
| Luminous flux (Rated) (lm) | 470           |
| Technology                 | LED           |
| Voltage (V)                | 220-240       |
| Colour consistency (SDCM)  | 6             |

## DATA TABLE

### General data

|                            |               |
|----------------------------|---------------|
| Average life (Nominal) (h) | 15000         |
| Control gear required      | No            |
| Lamp finish                | Frosted       |
| Lamp shape                 | A60           |
| Dimmable                   | No            |
| Dry applications use only  | Yes           |
| EAN code                   | 5410288266282 |

## ToLEDo GLS

ToLEDo GLS V2 470LM 865 E27 SL

**0026628**

|   |                                     |
|---|-------------------------------------|
| <b>Energy class</b>   | A+                                  |
| <b>Energy saving lamp</b>                                     | Yes                                 |
| <b>General application</b>                                    | Hospitality; Residential & Consumer |
| <b>Intended purpose</b>                                       | No                                  |
| <b>Cap/Base</b>   | E27                                 |
| <b>Lamp mercury content (mg)</b>                              | 0                                   |
| <b>No. of switching cycles before premature failure (min)</b> | 50000                               |
| <b>Optimal operating condition (°C)</b>                       | 25                                  |
| <b>Ordering number</b>  | 0026628                             |
| <b>Product name</b>   | ToLEDo GLS V2 470LM 865 E27 SL      |
| <b>Average life (Rated) (h)</b>                               | 15000                               |
| <b>Special purpose lamp</b>                                   | No                                  |
| <b>Starting time (max) (s)</b>                                | 0.05                                |
| <b>Technology</b>   | LED                                 |
| <b>Transformer required</b>                                   | No                                  |
| <b>Warm-up time to 60% of full light (max) (s)</b>            | < 1s => 60%                         |

### Optical data

|   |          |
|---|----------|
| <b>Colour temperature (K)</b>                       | 6500     |
| <b>CRI (Ra)</b>                                     | 80       |
| <b>Light colour</b>                                 | Daylight |
| <b>Lumen maintenance at end of nominal life (%)</b> | 70       |
| <b>Luminous flux (Nominal) (lm)</b>                 | 470      |
| <b>Luminous flux (Rated) (lm)</b>                   | 470      |
| <b>Suitable for accent lighting</b>                 | No       |
| <b>Adjustable chromaticity</b>                      | No       |
| <b>Colour consistency (SDCM)</b>                    | 6        |

### Electrical data

|  |         |
|--|---------|
| <b>Drive current (mA)</b>              | 52      |
| <b>Equivalent watt (W)</b>             | 40      |
| <b>kWh per 1000 hours burning time</b> | 7       |
| <b>Lamp power factor</b>               | 0.5     |
| <b>Watt (Nominal) (W)</b>              | 7       |
| <b>Efficacy (Rated) (lm/w)</b>         | 67.14   |
| <b>Watt (Rated) (W)</b>                | 7       |
| <b>Voltage (V)</b>                     | 220-240 |

### Physical data

|                                    |    |
|------------------------------------|----|
| <b>Max. Lamp Diameter (mm) - D</b> | 60 |
|------------------------------------|----|

## ToLEDo GLS

ToLEDo GLS V2 470LM 865 E27 SL

**0026628**

|  |     |
|--|-----|
| Lamp Length (mm) - C/L                           | 109 |
| Lamp dimension equal to filament lamp equivalent | Yes |

### TECHNICAL DRAWINGS

